

EU DECLARATION OF CONFORMITY

PPE CATEGORY II

Référence : I30

Révision : 2

Date : 04/24

**LEBON PROTECTION INDUSTRIELLE
PARC D'ACTIVITES BARROIS
250 RUE DES CHARMES
59182 MONTIGNY EN OSTREVENT
FRANCE**

Declares that the new PPE described hereafter :

Reference : **THERMOTOUCH**

15-gauge blue polyamide glove with 7-gauge acrylic terry lining to cope with cold and heat. Black foam nitrile coating on palm and fingertips with integrated tactile function so you can keep your gloves on in all conditions. Elasticated wrist for optimum fit.

EN ISO21420:2020

EN388:2016+A1:2018 : 4141X

EN407:2020 : X1XXXX

EN511:2016 : X2X

Sizes : 7 to 11

is in conformity with the provisions of PPE Regulation 2016/425 and in conformity with the PPE which is the subject of EU certificate of conformity n°

0075/057/162/02/24/0336

Issued by : CTC, notified organization N° 0075

complies with the requirements:

- of Regulation 1935/2004/CE from 27th October 2004,
- of Regulation 10/2011 from 14th January 2011 on plastic materials and articles intended to come into contact with foodstuffs,
- of Regulation 1245/2020 from 2nd September 2020 on plastic materials and articles intended to come into contact with foodstuffs,
- of Regulation 2023/2006/CE from 22th December 2006 modified, on good manufacturing practice for materials and articles intended to come into contact with foodstuffs;

THERMOTOUCH is validated for all types of food.

In all hypothesis :

- Compliance is subject to compliance with the conditions of storage, handling and use taking into account the particular characteristics of the material or object, conditions as provided by the usages or professional codes.
- In the event of a change in the packed product, its composition or its intended purpose, and in the event of a change in the conditions for use of the material or article, the person to whom this declaration is made must ensure that of the content / content compatibility for which it then assumes responsibility.

This declaration of conformity has been drawn up on the basis of the following elements:

1) Global migration analyzes:

Contact conditions on sample according to standard NF EN 1186 – 1 (January 2003)	Simulator Liquid	Observations of the test pieces	Observations of the simulator liquid	Correction factor	Migration result to about 0.1 mg / dm ² (Aqueous medium test) to 1 mg / dm ² (Test medium fat)
0.5h at 40°C repeated 3 times	Acetic acid 3%	No modification	No modification	-	9.8
0.5h at 40°C repeated 3 times	Ethanol 50%	No modification	No modification	-	4.5
0.5h at 40°C repeated 3 times	Ethanol 95%	No modification	No modification	1	0.2
0.5h at 40°C repeated 3 times	Isooctane	No modification	No modification	1	1.3

The results are in line with Regulation 1935/2004/CE from 27th October 2004 (migration limits: 10mg/dm²).

2) Specific migration analyzes:

Concerned molecule	Contact conditions on sample according to standard NF EN 1186 – 1 (January 2003)	Simulator Liquid	Observations of the test pieces	Observations of the simulator liquid	Correction factor	Migration result to about 0.1 mg / dm ² (Aqueous medium test) to 1 mg / dm ² (Test medium fat)
Primary Aromatic Amines	0.5h at 40°C repeated 3 times	Acetic acid 3%	No modification	No modification	-	ND (<0,002mg/kg)
Heavy metals	0.5h at 40°C repeated 3 times	Acetic acid 3%	No modification	No modification	-	Under all authorized limits

This declaration must be renewed in all cases where compliance with the above is no longer ensured (test renewal, change of material, change in technology, changes in regulations).

This declaration shall be made in accordance with Article 16 from regulation 1935/2004/CE.

Done at Montigny en Ostrevent,
the 18-Apr-24
By Cathie DUHAMEL
Quality Manager

