

DECLARATION OF COMPLIANCE FOR MATERIALS AND ARTICLES INTENDED TO COME INTO CONTACT WITH FOOD PET RANGE (Revision 12.7: 2024, June 23)

Hereby declare that the products mentioned below: 27473 Koplåg Buddha, 600-1000ml, Ø175x27mm, plast

Comply with the following regulations:

• **1935/2004 :** Regulation (EC) of the European parliament and of the council of 27 October 2004 on materials and articles intended to come into contact with food.

In the following condition of use:

Contact with wet and dry food, aqueous food, fatty food, acidic food, alcoholic food. All storage time at refrigerated and frozen temperature, 6 months storage time at ambient temperature, heating at maximum 54°C.

- **10/2011/UE:** commission regulation of 14 January 2011 on plastic materials and articles intended to come into contact with food and amendments:
 - 321/2011/EU from 2/04/2011
 - 1282/2011/EU from 10/12/2011
 - 1183/2012/EU from 12/12/2012
 - 202/2014/EU from 4/03/2014
 - 865/2014/EU from 9/08/2014
 - 2015/174/EU from 6/02/2015
 - 2016/1416 from 24/08/2016
 - 2017/752 from 28/04/2017
 - 201879 from 18/01/2018
 - 2018/213 from 12/02/2018
 - 2018/831 from 05/06/2018
 - 2019/37 from 31/01/2019
 - 2019/1338 from 08/08/2019

The products we supply comply with the overall migration limit of 60 mg/Kg or 10mg/dm² as laid down in regulation 10/2011/EU.

Test condition: 10 days at 40°C (specific migration 10 days 50°C) Simulants : A (ethanol 10%), B (acetic acid 3%), D2 (olive oil).

Area/volume ratio :

Type materials and article	Area volume ratio in dm ² /100ml
Bowl and lids	0.98
Platters	1

Following substances submitted to Specific Migration Limit (SML) might have been used:

FCM number	N° CAS	Substances	Specific migration limit (SML) or other restriction
00785	0000100-21-0	Terephtalic acid	7.5 mg/Kg
00291	0000121-91-5	Isophtalic acid	5 mg/Kg
00227 00263	0000107-21-1 0000111-46-6	Ethylen glycol Diéthylen glycol	30mg/Kg
00398	0001309-64-4	Antimony trioxyde	0.04 mg/Kg

• Dual use additive

N° FCM	N° CAS	Substance	Food additive
00509	7664-38-2	Phosphoric acid	E338
	63148-62-9	Polydimethylsiloxane 350 cSt	E900
	9005-67-8	Polyoxyethylene 20 sorbitan monostearate	E435
	7757-82-6	Sodium sulphate	E514
	65-85-0	Benzoic acid	E210

- **2023/2006/CE :** commission regulation from 22/12/2006 on good manufacturing practice for material and articles intended to come into contact with food.
- **282/2008/EC**: commission regulation from 27/03/2008 on recycled plastic material and articls intended to come into contact with food and amending Regulation (EC) N°2023/2006. SABERT is registered at the EFSA (European safety Agency) for the approval of its PET recycling process with the number RECY030. All PET products may contain post consumer recycled PET.
- **Bisphenol A and phthalates** are not used in the manufacturing process.
- 2018/213/EU Commission Regulation of 12 February 2018 on the use of bisphenol A in varnishes and coatings intended to come into contact with food and amending Regulation (EU) No 10/2011 as regards the use of that substance in plastic food contact materials
- **94/62/CE:** directive of the parliament and the council from 20/12/1994 on packaging and packaging waste
 - Concentration level of heavy metal<100ppm
 - No dangerous substances identified
 - Waste management: recycling or recovery as energetic source (in an approved incinerator).

Stadsing A/S, Oestre Faelledvej 13, DK - 9400 Noerresundby Tel: + 45 70153400 www.stadsing.dk

• **1895/2005/CE** Commission Regulation from 18/11/2005 on the restriction of use of certain epoxy derivatives in materials and articles intended to come into contact with food (BADGE, BFDGE et NOGE). Those substances are not used in the manufacturing of our products.

Shelf life: 5 years under normal storage condition: dry, ambient temperature, in original packaging.

According to the European legislation in force, this is the responsibility of the end user to verify the technical suitability of the product for his specific intended use.

This letter replaces all previous versions. Valid three years

Bettina Bonde Product Manager

Bettina Bonde Stadsing