

## SAFETY DATA SHEET

## WeClean Limescale Remover Next

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

## Trade name

WeClean Limescale Remover Next

## Product no.

Svane licens nr. 5026 0246

## Unique formula identifier (UFI)

XG13-U42E-F008-570U

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

## Relevant identified uses of the substance or mixture

PC35 Washing and cleaning products

## Product code (A.I.S.E.)

## Code

AISE-P307 / Descaling agent. Manual process.

AISE-P308 / Descaling agent. Spray and rinse manual process.

## Use descriptors (REACH)

## Sectors of use

## Description

LCS "PW"

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

## Product category

## Description

PC35

Washing and Cleaning Products (including solvent based products)

Environmental  
release category

## Description

ERC8a

Wide dispersive indoor use of processing aids in open systems

## Uses advised against

None known.

## 1.3. Details of the supplier of the safety data sheet

## Company and address

## Stadsing A/S

Østre Fælledvej 13

DK-9400 Nørresundby

Denmark

Tel.: +45 7015 3400

## E-mail

info@stadsing.dk

## Revision

11/24/2022

## SDS Version

1.0

## 1.4. Emergency telephone number

Contact the poison hotline: +45 82 12 12 12 (24 hour service)

See section 4 "First aid measures".

## SECTION 2: Hazards identification

## 2.1. Classification of the substance or mixture

Eye Irrit. 2; H319, Causes serious eye irritation.

## 2.2. Label elements

Hazard pictogram(s)

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878



#### Signal word

Warning

#### Hazard statement(s)

Causes serious eye irritation. (H319)

#### Safety statement(s)

##### General

-

##### Prevention

Wear eye protection/protective gloves. (P280)

##### Response

If eye irritation persists: Get medical advice/attention. (P337+P313)

##### Storage

-

##### Disposal

-

#### Hazardous substances

None known.

#### Additional labelling

UFI: XG13-U42E-F008-570U

### 2.3. Other hazards

#### Additional warnings

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable. This product is a mixture.

### 3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
Citric acid, monohydrate	CAS No.: 5949-29-1 EC No.: 201-069-1 REACH: 01-2119457026-42-xxxx Index No.:	10-15%	Eye Irrit. 2, H319	
Poly(oxy-1,2-ethanediyl), alpha-tridecyl-omega- hydroxy-, branched	CAS No.: 69011-36-5 EC No.: - REACH: 01-2119976362-32-0001 Index No.:	1-3%	Acute Tox. 4, H302 (ATE: 501.00 mg/kg) [19] Eye Dam. 1, H318 (SCL: 10.00 %) Eye Irrit. 2, H319 (SCL: 5.05 %)	
2-,Hydroxy,propanoic,acid	CAS No.: 50-21-5 EC No.: 200-018-0 REACH: 17-211942071 5-44-0000 Index No.:	1-3%	Skin Irrit. 2, H315 Eye Dam. 1, H318 Eye Irrit. 2, H319 (SCL: 1.00 %)	
sulphuric acid	CAS No.: 7664-93-9 EC No.: 231-639-5 REACH: 01-211945883 8-20-20 Index No.: 016-020-00-8	1-3%	Met. Corr. 1, H290 Skin Corr. 1A, H314 (SCL: 15.00 %) Skin Irrit. 2, H315 (SCL: 5.00 %) Eye Irrit. 2, H319 (SCL: 5.00 %)	[1]

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

### Other information

[1] European occupational exposure limit.

[19] UVCB = Unknown or variable composition, complex reaction products or of biological materials

**Labelling of contents according to Detergents Regulation (EC) No 648/2004**

&lt; 5%

- Non-ionic surfactants

**SECTION 4: First aid measures****4.1. Description of first aid measures****General information**

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

**Inhalation**

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

**Skin contact**

Upon irritation: rinse with water. In the event of continued irritation, seek medical assistance.

**Eye contact**

Upon irritation of the eye: Remove contact lenses. Flush eyes immediately with plenty of water or isotonic water (20-30°C) for at least 5 minutes and continue until irritation stops. Make sure to flush under upper and lower eyelids. If irritation continues, contact a doctor. Continue flushing during transport.

**Ingestion**

Provide plenty of water for the person to drink and stay with him/her. In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the victim lean forward with head down to avoid inhalation of- or choking on vomited material.

**Burns**

Not applicable.

**4.2. Most important symptoms and effects, both acute and delayed**

Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

**4.3. Indication of any immediate medical attention and special treatment needed**

If eye irritation persists: Get medical advice/attention.

**Information to medics**

Bring this safety data sheet or the label from this product.

**SECTION 5: Firefighting measures****5.1. Extinguishing media**

Not applicable.

**5.2. Special hazards arising from the substance or mixture**

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Sulphur oxides

Carbon oxides (CO / CO<sub>2</sub>)

**5.3. Advice for firefighters**

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

No specific requirements.

**6.2. Environmental precautions**

Avoid discharge to lakes, streams, sewers, etc.

**6.3. Methods and material for containment and cleaning up**

Limit spillage and collect using granular absorbent or similar materials, and dispose of it in accordance with the regulations on dangerous waste.

Use sand, earth, vermiculite, diatomaceous earth to contain and collect non-combustible absorbent materials and place in container for disposal, according to local regulations.

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

#### 6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

#### 7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

##### Recommended storage material

Keep only in original packaging.

##### Storage temperature

##### Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

#### 7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

sulphuric acid

Long term exposure limit (8 hours) (mg/m<sup>3</sup>): 0,05

Short term exposure limit (15 minutes) (mg/m<sup>3</sup>): 0,1

Annotations:

E = Substance has an EC limit.

Statutory order 1054 on exposure limits for substances and mixtures (28/06/2022)

#### DNEL

Poly(oxy-1,2-ethanediyl), alpha-tridecyl-omega-hydroxy-, branched

Duration	Route of exposure	DNEL
Long term – Systemic effects - General population	Dermal	93.8 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	263 mg/kg bw/day
Long term – Systemic effects - General population	Inhalation	6.53 mg/m <sup>3</sup>
Long term – Systemic effects - Workers	Inhalation	37 mg/m <sup>3</sup>
Long term – Systemic effects - General population	Oral	2.5 mg/kg bw/day

sulphuric acid

Duration	Route of exposure	DNEL
Long term – Local effects - Workers	Inhalation	50 µg/m <sup>3</sup>
Short term – Local effects - Workers	Inhalation	100 µg/m <sup>3</sup>

#### PNEC

Poly(oxy-1,2-ethanediyl), alpha-tridecyl-omega-hydroxy-, branched

Route of exposure	Duration of Exposure	PNEC
Activated Sludge Plant	Single	>10.000 mg/l
Freshwater		4.36 µg/L
Freshwater sediment		119.4 µg/kg
Intermittent release (freshwater)		5.44 µg/L
Intermittent release (marine water)		544 ng/L
Marine water		436 ng/L
Marine water sediment		11.94 µg/kg
Sewage treatment plant		4.35 mg/L
Soil		21.3 µg/kg

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

## 8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

### General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

### Exposure scenarios

There are no exposure scenarios implemented for this product.

### Exposure limits

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

### Appropriate technical measures

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure emergency eyewash and -showers are clearly marked.

### Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

### Measures to avoid environmental exposure

No specific requirements.

## 8.3. Individual protection measures, such as personal protective equipment

### Generally

Use only CE marked protective equipment.

### Respiratory Equipment

Type	Class	Colour	Standards
No special when used as intended.			

### Skin protection

Recommended	Type/Category	Standards
No special when used as intended.	-	-

### Hand protection

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards
Nitrile	0.38	>120	EN374-2, EN374-3, EN388



### Eye protection

Work situation	Type	Standards
When there is risk of splash- / intermittent exposure	Wear safety glasses with side shields.	EN166



## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

#### Physical state

Liquid

#### Colour

Clear

#### Odour / Odour threshold

None

#### pH

0,8

#### Density (g/cm³)

1.08

#### Kinematic viscosity

Testing not relevant or not possible due to the nature of the product.

#### Particle characteristics

Does not apply to liquids.

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

## Phase changes

### Melting point/Freezing point (°C)

Testing not relevant or not possible due to the nature of the product.

### Softening point/range (waxes and pastes) (°C)

Does not apply to liquids.

### Boiling point (°C)

Testing not relevant or not possible due to the nature of the product.

### Vapour pressure

Testing not relevant or not possible due to the nature of the product.

### Relative vapour density

Testing not relevant or not possible due to the nature of the product.

### Decomposition temperature (°C)

Testing not relevant or not possible due to the nature of the product.

## Data on fire and explosion hazards

### Flash point (°C)

Testing not relevant or not possible due to the nature of the product.

### Auto-Ignition (°C)

Testing not relevant or not possible due to the nature of the product.

### Flammability (°C)

Testing not relevant or not possible due to the nature of the product.

### Lower and upper explosion limit (% v/v)

Testing not relevant or not possible due to the nature of the product.

## Solubility

### Solubility in water

Completely soluble

### n-octanol/water coefficient

Testing not relevant or not possible due to the nature of the product.

### Solubility in fat (g/L)

Testing not relevant or not possible due to the nature of the product.

## 9.2. Other information

### Other physical and chemical parameters

No data available.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No data available.

### 10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

### 10.3. Possibility of hazardous reactions

None known.

### 10.4. Conditions to avoid

None known.

### 10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

### 10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Product/substance	Citric acid, monohydrate
Test method	
Species	
Route of exposure	Oral
Test	LD50
Result	5400 mg/kg ·
Other information	

Product/substance	Citric acid, monohydrate
Test method	

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Species	Rat
Route of exposure	Dermal
Test	LD50
Result	>2000 mg/kg ·
Other information	
Product/substance	Poly(oxy-1,2-ethanediyl), alpha-tridecyl-omega-hydroxy-, branched
Test method	
Species	Rat
Route of exposure	Oral
Test	LD50
Result	500-2000 mg/kg ·
Other information	
Product/substance	2-,Hydroxy,propanoic,acid
Test method	
Species	
Route of exposure	Oral
Test	LD50
Result	4875 mg/kg ·
Other information	
Product/substance	2-,Hydroxy,propanoic,acid
Test method	
Species	Rat
Route of exposure	Oral
Test	LD50
Result	3730 mg/kg ·
Other information	
Product/substance	sulphuric acid
Test method	
Species	Rat
Route of exposure	Oral
Test	LD50
Result	2140 mg/kg ·
Other information	
Product/substance	sulphuric acid
Test method	
Species	Rat
Route of exposure	Inhalation
Test	LC50
Result	0,375 mg/kg ·
Other information	

#### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

#### Serious eye damage/irritation

Causes serious eye irritation.

#### Respiratory sensitisation

Based on available data, the classification criteria are not met.

#### Skin sensitisation

Based on available data, the classification criteria are not met.

#### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

#### Carcinogenicity

Based on available data, the classification criteria are not met.

#### Reproductive toxicity

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

## 11.2. Information on other hazards

### Long term effects

Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs.  
 Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

### Endocrine disrupting properties

None known.

### Other information

sulphuric acid has been classified by IARC as a group 1 carcinogen.

## SECTION 12: Ecological information

### 12.1. Toxicity

Product/substance	Citric acid, monohydrate
Test method	
Species	Fish
Compartment	
Duration	48 hours
Test	LC50
Result	440 mg/l ·
Other information	

Product/substance	Citric acid, monohydrate
Test method	
Species	Algae
Compartment	
Duration	8 days
Test	NOEC
Result	425 mg/l ·
Other information	

Product/substance	Citric acid, monohydrate
Test method	
Species	Daphnia
Compartment	
Duration	24 hours
Test	LC50
Result	1535 mg/L ·
Other information	

Product/substance	Poly(oxy-1,2-ethanediyl), alpha-tridecyl-omega-hydroxy-, branched
Test method	
Species	Fish
Compartment	
Duration	96 hours
Test	LC50
Result	1-10 mg/l ·
Other information	

Product/substance	Poly(oxy-1,2-ethanediyl), alpha-tridecyl-omega-hydroxy-, branched
Test method	
Species	Algae
Compartment	
Duration	72 hours
Test	EC50
Result	1-10 mg/l ·
Other information	

Product/substance	Poly(oxy-1,2-ethanediyl), alpha-tridecyl-omega-hydroxy-, branched
Test method	
Species	Daphnia
Compartment	
Duration	48 hours
Test	EC50
Result	1-10 mg/l ·
Other information	

Product/substance	2-Hydroxy,propanoic,acid
-------------------	--------------------------



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Test method	
Species	Fish
Compartment	
Duration	48 hours
Test	LC50
Result	320 mg/l ·
Other information	

Product/substance	2-,Hydroxy,propanoic,acid
Test method	
Species	Daphnia
Compartment	
Duration	48 hours
Test	EC50
Result	240 mg/l ·
Other information	

Product/substance	2-,Hydroxy,propanoic,acid
Test method	
Species	Fish
Compartment	
Duration	No data available.
Test	EC50
Result	3500 mg/l ·
Other information	

Product/substance	sulphuric acid
Test method	
Species	Crustacean
Compartment	
Duration	48 hours
Test	EC50
Result	> 100 mg/l ·
Other information	

## 12.2. Persistence and degradability

Product/substance	Citric acid, monohydrate
Biodegradable	Yes
Test method	OECD 301 B
Result	97%

Product/substance	Poly(oxy-1,2-ethanediyl), alpha-tridecyl-omega-hydroxy-, branched
Biodegradable	Yes
Test method	OECD 301 E
Result	90%

Product/substance	2-,Hydroxy,propanoic,acid
Biodegradable	Yes
Test method	OECD 301 D
Result	88%

Product/substance	sulphuric acid
Biodegradable	Yes
Test method	
Result	

## 12.3. Bioaccumulative potential

Product/substance	Citric acid, monohydrate
Test method	
Potential bioaccumulation	No
LogPow	-0,2000
BCF	0.5
Other information	

Product/substance	Poly(oxy-1,2-ethanediyl), alpha-tridecyl-omega-hydroxy-, branched
Test method	
Potential bioaccumulation	No
LogPow	2,7700
BCF	98

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

#### Other information

Product/substance 2-,Hydroxy,propanoic,acid  
 Test method  
 Potential bioaccumulation No  
 LogPow -1,7200  
 BCF No data available.  
 Other information

Product/substance sulphuric acid  
 Test method  
 Potential bioaccumulation No  
 LogPow No data available.  
 BCF No data available.  
 Other information

#### 12.4. Mobility in soil

No data available.

#### 12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

#### 12.6. Endocrine disrupting properties

None known.

#### 12.7. Other adverse effects

None known.

### SECTION 13: Disposal considerations

#### Waste treatment methods

Product is covered by the regulations on hazardous waste.  
 HP 4 - Irritant (skin irritation and eye damage)  
 Dispose of contents/container to an approved waste disposal plant.  
 Commission Regulation (EU) No 1357/2014 of 18 December 2014 on waste.

#### EWC code

20 01 29\* Detergents containing dangerous substances  
 Waste group H:  
 Waste with low  
 energy content

#### Specific labelling

Not applicable.

#### Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

### SECTION 14: Transport information

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information
ADR	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-

\* Packing group

\*\* Environmental hazards

#### Additional information

Not dangerous goods according to ADR, IATA and IMDG.

#### 14.6. Special precautions for user

Not applicable.

#### 14.7. Maritime transport in bulk according to IMO instruments

No data available.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Restrictions for application

Restricted to professional users.

#### Demands for specific education

No specific requirements.

#### SEVESO - Categories / dangerous substances

Not applicable.

#### Regulation on drug precursors

sulphuric acid is included (Category 3)

#### Regulation on explosives precursors

sulphuric acid (Annex I)

#### Product registration number

2295069

#### Additional information

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

#### Sources

Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents.

Commission Regulation (EU) No 1357/2014 of 18 December 2014 on waste.

Council Regulation (EC) No 273/2004 on drug precursors.

Council Regulation (EC) No 2019/1148 on explosives precursors.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (CLP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

### 15.2. Chemical safety assessment

No

## SECTION 16: Other information

### Full text of H-phrases as mentioned in section 3

H290, May be corrosive to metals.

H302, Harmful if swallowed.

H314, Causes severe skin burns and eye damage.

H315, Causes skin irritation.

H318, Causes serious eye damage.

H319, Causes serious eye irritation.

### The full text of identified uses as mentioned in section 1

LCS "PW" = Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

PC35 = Washing and Cleaning Products (including solvent based products)

ERC8a = Wide dispersive indoor use of processing aids in open systems

### Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

IARC = International Agency for Research on Cancer (IARC)  
IATA = International Air Transport Association  
IBC = Intermediate Bulk Container  
IMDG = International Maritime Dangerous Goods  
LogPow = logarithm of the octanol/water partition coefficient  
MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)  
OECD = Organisation for Economic Co-operation and Development  
PBT = Persistent, Bioaccumulative and Toxic  
PNEC = Predicted No Effect Concentration  
RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail  
RRN = REACH Registration Number  
SCL = A specific concentration limit  
SVHC = Substances of Very High Concern  
STOT-RE = Specific Target Organ Toxicity - Repeated Exposure  
STOT-SE = Specific Target Organ Toxicity - Single Exposure  
TWA = Time weighted average  
UN = United Nations  
UVBC = Unknown or variable composition, complex reaction products or of biological materials  
VOC = Volatile Organic Compound  
vPvB = Very Persistent and Very Bioaccumulative

#### Additional information

The classification of the mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP).

#### The safety data sheet is validated by

MA

#### Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: DK-en