HyFlex® 11-625 11-627 11-628



Mechanical Protection



Cut Protection



Medium



Dexterity with superb cut resistance for optimal productivity

DESCRIPTION

- The HyFlex\$ 11-625, 11-627 and 11-628 gloves deliver a perfect balance of comfort and sure handling with superior cut resistance.
- sure nandling with superior cut resistance. The liners have an innovative yarn structure that contains an optimal rate of Dyneema®. This offers high levels of cut resistance, for a safe use in controlling, handling and assembly applications involving contacts with sharp pieces. The Lycra® in the liners of both gloves, as well as the polyurethane coating, provides excellent flexibility and fit.

 The three models are designed for use in dry, as well as slightly oily environments.

PRODUCT DETAILS

Construction	Knitted
Liner material	11-625: Dyneema® Spandex 11-627,11-628: Dyneema® Lycra® Nylon
Gauge	15
Coating material	Polyurethane
Finishing	Palm coated
Cuff style	11-625,11-627: Knitwrist 11-628: Long knitwrist
Colour	11-625: White 11-627,11-628: Grey
EN Sizes	6,7,8,9,10,11
Length (mm)	11-625: 210 - 255 11-627: 210 - 270 11-628: 270 - 320
Packaging	12 pairs in a bag; 12 bags in a carton



IDEAL APPLICATIONS

- Aeronautics
- Assembling metal parts and components
- Assembly of white goods
- Finishing works
- Glass manufacturing
- Handling of sharp-edged objects, pre-assembling, cutting of small dry or lightly oiled parts and maintenance.
- Plastics injection and moulding

PRIMARY INDUSTRIES













STANDARDS AND CERTIFICATIONS

EN388:2003 EN388:2016

CATEGORY II

FEATURED TECHNOLOGY



EXTRA FEATURES

11-627



Print date 10-07-2019

Ansell Healthcare Europe N.V. (European Head Office)

Riverside Business Park, Block J Boulevard International 55, 1070 Brussels, Belgium Tel. +32 (0) 2 528 74 00 • Fax +32 (0) 2 528 74 01 • Fax Customer Service +32 (0) 2 528 74 03 http://www.ansell.eu • E-mail info@ansell.eu

